



NOTES:

- 1. CONDITION PER MIL-C-10578. HARD ANODIZE PER MIL-A-8625, TYPE III, CLASS 2, COLOR BLACK OR GRAY.
- 2. WELD PER AWS D12/D12M.

| DEL | E | F | F | E | F | REV | REV |
|-----|---|---|---|---|---|-----|--------|
| 6 | 5 | 4 | 3 | 2 | 1 | SH | STATUS |

| REVISION HISTORY | | | |
|------------------|---|-------------|----------|
| REV | DESCRIPTION | DATE | APPROVAL |
| F | ENGINEER AND DRAWER: M BEUSTER. SHEETS 3 AND 4 REVISED. | 2011-11-21L | BURMAN |

COMPUTER MAINTAINED. CHANGES SHALL BE INCORPORATED BY THE DESIGN ACTIVITY.



-3 TABLETOP ASSY

MFHY060122E.DWG

| | | | | | |
|----|--|---|-----|-------------------|---|
| 11 | | 1 | -27 | TABLETOP | 50 THK AL ALY PLATE PER QQ-A-250/11 |
| 10 | | 4 | -25 | DRIP BARRIER | 1/2 X 1/2 X 1/16 THK 6063-T52 AL ALY ANGLE PER QQ-A-200/9 |
| 9 | | 4 | -23 | DRIP BARRIER | 1/2 X 1/2 X 1/16 THK 6063-T52 AL ALY ANGLE PER QQ-A-200/9 |
| 8 | | 2 | -21 | BAR, SIDE | .25 THK X 1.00W AL ALY BAR PER QQ-A-200/9 |
| 7 | | 2 | -19 | STOP | 1 1/2 X 1 X .125 THK 6063-T52 AL ALY ANGLE PER QQ-A-200/9 |
| 6 | | 4 | -17 | BAR, CORNER | .25 THK X 1.00W AL ALY BAR PER QQ-A-200/9 |
| 5 | | 2 | -15 | BAR, SIDE | .25 THK X 1.00W AL ALY BAR PER QQ-A-200/9 |
| 4 | | | | | |
| 3 | | | | | |
| 2 | | | | | |
| 1 | | | | | |
| | | | -3 | TABLETOP ASSEMBLY | |

| FIND NO | QUANTITY | REQD | CAGE CODE | PART OR IDENTIFYING NUMBER | DESCRIPTION | NOTES OR REMARKS |
|---------|----------|------|-----------|----------------------------|-------------|------------------|
| | | | | | | |

PARTS LIST



THIS INFORMATION IS FURNISHED UPON THE CONDITION THAT IT WILL NOT BE RELEASED TO ANOTHER NATION WITHOUT THE SPECIFIC AUTHORITY OF THE DEPARTMENT OF THE NAVY OF THE UNITED STATES. THAT IT WILL BE USED FOR MILITARY PURPOSES ONLY, THAT THE INDIVIDUAL OR CORPORATE RIGHTS ORIGINATING IN THE INFORMATION, WHETHER PATENTED OR NOT, WILL BE RESPECTED, AND THAT THE INFORMATION BE PROVIDED SUBSTANTIALLY THE SAME DEGREE OF SECURITY PROTECTION OFFERED BY THE DEPARTMENT OF DEFENSE OF THE UNITED STATES.

RESTRICTION NOTICE: FOR UNCLASSIFIED, DISTRIBUTION STATEMENT C. DISTRIBUTION AUTHORIZED TO US GOVERNMENT AGENCIES AND LIMITED DOCUMENTS, DESTROY BY ANY METHOD THEIR CONTRACTORS ONLY TO PROTECT TECHNICAL DATA REQUIRED FOR OFFICIAL USE OR FOR ADMINISTRATIVE OR OPERATIONAL PURPOSES ONLY, DETERMINED ON 17 JANUARY 1997. OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO COMMANDING OFFICER, NAVAL AIR DEPOT, PO BOX 50706, NORTH ISLAND, SAN DIEGO, CA 92155-7006.


| | | | | | |
|---|----------|-----------|------|----------|------------------------------------|
| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. | DRAWER | TN | DATE | 01-09-01 | NAVAL AIR DEPOT |
| TOLERANCES: ANGULAR | CHECKER | MAB | DATE | 01-09-01 | US NAVAL AIR STATION, NORTH ISLAND |
| XX .020 | ENGINEER | T NGUYEN | DATE | 01-09-01 | SAN DIEGO CALIFORNIA 92155-7006 |
| XX .010 | APPROVAL | R A VOTAW | DATE | 01-09-01 | |
| XX .005 | CUSTOMER | R ELAND | DATE | 06-07-19 | |
| XX .002 | CUSTOMER | | DATE | | |
| DO NOT SCALE DRAWING. | | | | | |
| INTERPRET DRAWING PER ASME Y14.1M | | | | | |
| REMOVE ALL BURRS AND SHARP EDGES | | | | | |
| NEXT ASSEMBLY: | | | | | |
| MFHY060121 | | | | | |

TABLETOP ASSEMBLY
 ITEM TASK CODE DRAWING NUMBER
 091145 MFHY060122
 SCALE NONE
 SHEET 1 OF 5




| REVISION HISTORY | | | |
|------------------|--|------------|-----------|
| REV | DESCRIPTION | DATE | APPROVAL |
| E | ENGINEER AND DRAWER: H. BEUSTER. (S) VIEW MOVED FROM ANOTHER SHEET. | 2011-07-29 | B. BURMAN |



| | | | | | | | |
|---------------|----------|--------|----------|------|-----------|----------------|-----|
| ENGINEER | DATE | DRAWER | DATE | SIZE | CAGE CODE | DRAWING NUMBER | REV |
| H. NGUYEN | 01-09-11 | TN | 01-09-11 | D | 91145 | MFHY060122 | E |
| NEXT ASSEMBLY | CHECKER | SCALE | SHEET | | | | |
| MFHY060121 | MAB | 1/1 | 2 | | | | |




| REVISION HISTORY | | | |
|------------------|---|------------|----------|
| REV | DESCRIPTION | DATE | APPROVAL |
| F | ENGINEER AND DRAWER: M BEUSTER. (1) WELD SYMBOL CHANGED. (2) WELD SIZE ADDED. | 2011-11-28 | BJURMAN |



-3 TABLETOP ASSY
SCALE 1/5

| ENGINEER | DATE | DRAWER | T.N. | DATE | SIZE | CAGE CODE | DRAWING NUMBER | REV |
|-----------|----------|--------|------|----------|-------|-----------|----------------|---------|
| M. NGUYEN | 01-08-11 | T.N. | | 01-08-11 | D | 91145 | MFHY060122 | F |
| CHECKER | | MAB | | 01-08-11 | SCALE | 1/1 | | SHEET 3 |


| REVISION HISTORY | | | |
|------------------|--|-------------|----------|
| REV | DESCRIPTION | DATE | APPROVAL |
| F | ENGINEER AND DRAWER: H. BEUSTER. (2) WELD SIZE ADDED. | 2011-11-20L | BJURMAN |



BOTTOM VIEW
- 3 TABLETOP ASSY

| | | | | | | | |
|-----------------------|----------|--------|----------|-------|-----------|----------------|---------|
| ENGINEER | DATE | DRAWER | DATE | SIZE | CAGE CODE | DRAWING NUMBER | REV |
| H. NGUYEN | 01-08-11 | TN | 01-08-11 | D | 91145 | MFHY060122 | F |
| NEXT ASSY: MFHY060121 | CHECKER | MAB | 01-08-11 | SCALE | 1/3 | | SHEET 4 |

| REVISION HISTORY | | | |
|------------------|--|-------------|----------|
| REV | DESCRIPTION | DATE | APPROVAL |
| E | ENGINEER AND DRAWER H. BEUSTER. (1) DIMENSION ENDPOINT MOVED. (4) VIEW MOVED TO ANOTHER SHEET. | 2011-07-29L | BJURMAN |



-27 TABLETOP

| | | | | | | | |
|----------------------------|------------------|--------------|------------------|-----------------|-----------|------------------------------|----------|
| ENGINEER H. NGUYEN | DATE 01-08-11 | DRAWER TN | DATE 01-08-11 | SIZE D 91145 | CAGE CODE | DRAWING NUMBER MFHY060122 | REV E |
| NEXT ASSAULT MFHY060121 | CHECKER MAB | SCALE 1/5 | SHEET 5 | | | | |